

Ref No:

< SRI KRISHNA INSTITUTE OF TECHNOLOGY, BENGALURU >



LABORATORY PLAN

Academic Year 2019-2020

Program:	B E – Information Science & Engineering
Semester :	4
Course Code:	18CSL47
Course Title:	Design And Analysis Of Algorithm Laboratory
Credit / L-T-P:	3/ 0-02-02
Total Contact Hours:	36 Hrs
Course Plan Author:	SANDHYA BR

Academic Evaluation and Monitoring Cell

No. 29, Chimny hills, Hesarghatta Road, Chikkabanavara
Bangalore – 560090, Karnataka, India
Phone/Fax: +91-08023721315/ 23721477
www.skit.org.in

INSTRUCTIONS TO TEACHERS

- Classroom / Lab activity shall be started after taking attendance.
- Attendance shall only be signed in the classroom by students.
- Three hours attendance should be given to each Lab.
- Use only Blue or Black Pen to fill the attendance.
- Attendance shall be updated on-line & status discussed in DUGC.
- No attendance should be added to late comers.
- Modification of any attendance, over writings, etc is strictly prohibited.
- Updated register is to be brought to every academic review meeting as per the COE.

Table of Contents

A. LABORATORY INFORMATION.....	4
1. Laboratory Overview.....	4
2. Laboratory Content.....	4
3. Laboratory Material.....	5
4. Laboratory Prerequisites:.....	5
5. Content for Placement, Profession, HE and GATE.....	5
B. Laboratory Instructions.....	6
1. General Instructions.....	6
2. Laboratory Specific Instructions.....	6
C. OBE PARAMETERS.....	6
1. Laboratory Outcomes.....	6
2. Laboratory Applications.....	7
3. Mapping And Justification.....	8
4. Articulation Matrix.....	8
5. Curricular Gap and Experiments.....	9
6. Experiments Beyond Syllabus.....	9
D. COURSE ASSESSMENT	10
1. Laboratory Coverage.....	10
2. Continuous Internal Assessment (CIA).....	10
E. EXPERIMENTS.....	11
Experiment 01 : Structure of C program.....	11
Experiment 02 : Keywords and identifiers.....	12
Experiment 03 :	13
Experiment 04 :	13
F. Content to Experiment Outcomes.....	14
1. TLPA Parameters.....	14
2. Concepts and Outcomes:.....	15

Note : Remove "Table of Content" before including in CP Book

Each Laboratory Plan shall be printed and made into a book with cover page

Blooms Level in all sections match with A.2, only if you plan to teach / learn at higher levels

A. LABORATORY INFORMATION

1. Laboratory Overview

<i>Degree:</i>	BE	<i>Program:</i>	IS
<i>Year / Semester :</i>	2/ 4	<i>Academic Year:</i>	2019-20
<i>Course Title:</i>	Design And Analysis Of Algorithm Laboratory	<i>Course Code:</i>	18CSL47
<i>Credit / L-T-P:</i>	2/ 0-2-2	<i>SEE Duration:</i>	3Hrs
<i>Total Contact Hours:</i>	36 Hrs	<i>SEE Marks:</i>	60 Marks
<i>CIA Marks:</i>	40	<i>Assignment</i>	-
<i>Lab. Plan Author:</i>	SANDHYA BR	<i>Sign</i>	Dt :
<i>Checked By:</i>		<i>Sign</i>	Dt :

2. Laboratory Content

Expt.	Title of the Experiments	Lab Hours	Concept	Blooms Level
-------	--------------------------	-----------	---------	--------------

1.		3		
a.	Create a Java class called <i>Student</i> with the following details as variables within it. (i) USN (ii) Name (iii) Branch (iv) Phone Write a Java program to create <i>nStudent objects</i> and print the USN, Name, Branch, and Phone of these objects with suitable headings.		Classes and Objects	L5 Evaluate
b.	Write a Java program to implement the Stack using arrays. Write Push(), Pop(), and Display() methods to demonstrate its working.		Classes and Objects	L5 Evaluate
2.		3		
a.	Design a superclass called <i>Staff</i> with details as StaffId, Name, Phone, Salary. Extend this class by writing three subclasses namely <i>Teaching</i> (domain, publications), <i>Technical</i> (skills), and <i>Contract</i> (period). Write a Java program to read and display at least 3 <i>staff</i> objects of all three categories.		Classes and Objects	L5 Evaluate
b.	Write a Java class called <i>Customer</i> to store their name and date_of_birth. The date_of_birth format should be dd/mm/yyyy. Write methods to read customer data as <name, dd/mm/yyyy> and display as <name, dd, mm, yyyy> using StringTokenizer class considering the delimiter character as "/".		Classes and Objects	L5 Evaluate
3.		3		
a.	Write a Java program to read two integers <i>a</i> and <i>b</i> . Compute a/b and print, when <i>b</i> is not zero. Raise an exception when <i>b</i> is equal to zero.		Classes and Objects	L5 Evaluate
b.	Write a Java program that implements a multi-thread application that has three threads. First thread generates a random integer for every 1 second; second thread computes the square of the number and prints; third thread will print the value of cube of the number.		Classes and Objects	L5 Evaluate
4	Sort a given set of <i>n</i> integer elements using Quick Sort method and compute its time complexity. Run the program for varied values of $n > 5000$ and record the time taken to sort. Plot a graph of the time taken versus <i>n</i> on graph sheet. The elements can be read from a file or can be generated using the random number generator. Demonstrate using Java how the divide-and-conquer method works along with its time complexity analysis: worst case, average case and best case.	3	Divide & Conquer	L5 Evaluate
5.	Sort a given set of <i>n</i> integer elements using Merge Sort method and compute its time complexity. Run the program for varied values of $n > 5000$, and record the time taken to sort. Plot a graph of the time taken versus <i>n</i> on graph sheet. The elements can be read from a file or can be generated using the random number generator. Demonstrate using Java how the divide-and-conquer method works along with its time complexity analysis: worst case, average case and best case.	3	Divide & Conquer	L5 Evaluate
6	Implement in Java, the 0/1 Knapsack problem using	3		L5 Evaluate
a	Dynamic Programming method		Dynamic Programming	
b	Greedy method		Greedy method	
7	From a given vertex in a weighted connected graph, find shortest paths to other vertices using Dijkstra's algorithm. Write the program in Java.	3	Greedy method	L5 Evaluate
8	Find Minimum Cost Spanning Tree of a given connected	3	Greedy	L5

	undirected graph using Kruskal's algorithm. Use Union-Find algorithms in your program.		method	Evaluate
9	Find Minimum Cost Spanning Tree of a given connected undirected graph using Prim's algorithm.	3	Greedy method	L5 Evaluate
10	Write Java programs to	3	Dynamic Programming	L5 Evaluate
a	Implement All-Pairs Shortest Paths problem using Floyd's algorithm.			
b	Implement Travelling Sales Person problem using Dynamic programming.			
11	Design and implement in Java to find a subset of a given set $S = \{S_1, S_2, \dots, S_n\}$ of n positive integers whose SUM is equal to a given positive integer d . For example, if $S = \{1, 2, 5, 6, 8\}$ and $d = 9$, there are two solutions $\{1, 2, 6\}$ and $\{1, 8\}$. Display a suitable message, if the given problem instance doesn't have a solution.	3	Backtracking	L5 Evaluate
12	Design and implement in Java to find all Hamiltonian Cycles in a connected undirected Graph G of n vertices using backtracking principle.	3	Backtracking	L5 Evaluate

3. Laboratory Material

Books & other material as recommended by university (A, B) and additional resources used by Laboratory teacher (C).

Expt.	Details	Expt. in book	Availability
A	Text books (Title, Authors, Edition, Publisher, Year.)	-	-
4,5,6,7,8,9,10,11,12	Introduction to the Design and Analysis of Algorithms, Anany Levitin., 2nd Edition, 2009. Pearson.	1,2,4,5,6,9,8,12	In Lib / In Dept
			In Lib/ In dept
B	Reference books (Title, Authors, Edition, Publisher, Year.)	-	-
1,2,3,8,9,10,11,12	Introduction to Algorithms, Thomas H. Cormen, Charles E. Leiserson, Ronal L. Rivest, Clifford Stein, 3rd Edition, PHI	?	In Lib
4,5,6,7	Design and Analysis of Algorithms , S. Sridhar, Oxford (Higher Education)	?	Not Available
C	Concept Videos or Simulation for Understanding	-	-
c1	Nptel videos for Quick sort http://www.nptelvideos.com/video.php?id=1009		
c2	Nptel videos for Minimum Spanning trees https://www.youtube.com/watch?v=kqjemw3SZeo		
D	Software Tools for Design	-	-
	Eclipse Juno		
E	Recent Developments for Research	-	-
1	Experimental study on the five sort algorithms https://ieeexplore.ieee.org/abstract/document/5987184		
F	Others (Web, Video, Simulation, Notes etc.)	-	-
1	Sum of subset problem		

	https://www.youtube.com/watch?v=kyLxTdsT8ws		

4. Laboratory Prerequisites:

Refer to GL01. If prerequisites are not taught earlier, GAP in curriculum needs to be addressed. Include in Remarks and implement in B.5.

Students must have learnt the following Courses / Topics with described Content . . .

Expt.	Lab. Code	Lab. Name	Topic / Description	Sem	Remarks	Blooms Level
1	17CS32	Data Structures and Applications	Graphs	3	Required for Experiment 6,7,8,9	L4
2	17CPL16/26	C Programing Laboratory	1. Knowledge on Programming basics	1/2	Required for all Experiments	L3
3						
5						
-						
-						

5. Content for Placement, Profession, HE and GATE

The content is not included in this course, but required to meet industry & profession requirements and help students for Placement, GATE, Higher Education, Entrepreneurship, etc. Identifying Area / Content requires experts consultation in the area.

Topics included are like, a. Advanced Topics, b. Recent Developments, c. Certificate Courses, d. Course Projects, e. New Software Tools, f. GATE Topics, g. NPTEL Videos, h. Swayam videos etc.

Expt.	Topic / Description	Area	Remarks	Blooms Level
1	Insertion sort	Higher Study	Gap A seminar on Insertion sort	Understand L2
3	selection sort	GATE	Gap A seminar on selection sort	Understand L2
3				
5				
-				

B. Laboratory Instructions

1. General Instructions

SNo	Instructions	Remarks
1	Observation book and Lab record are compulsory.	
2	Students should report to the concerned lab as per the time table.	
3	After completion of the program, certification of the concerned staff in-charge in the observation book is necessary.	
4	Student should bring a notebook of 100 pages and should enter the readings /observations into the notebook while performing the experiment.	
5	The record of observations along with the detailed experimental procedure of the experiment in the Immediate last session should be submitted and certified staff member in-charge.	
6	Should attempt all problems / assignments given in the list session wise.	
7	It is responsibility to create a separate directory to store all the programs, so that nobody else can read or copy.	
8	When the experiment is completed, should disconnect the setup made by them, and should return all the components/instruments taken for the purpose.	
9	Any damage of the equipment or burn-out components will be viewed	

	seriously either by putting penalty or by dismissing the total group of students from the lab for the semester/year	
10	Completed lab assignments should be submitted in the form of a Lab Record in which you have to write the algorithm, program code along with comments and output for various inputs given	

2. Laboratory Specific Instructions

SNo	Specific Instructions	Remarks
1	Start windows Operating system	
2	Open the eclipse Juno IDE in Windows	
	To create a project: 1.On the main menu bar, click <i>File -> New Project</i> . The New Project wizard opens. 2.Select a category from the left column and then select the type of project to create from the right column. To assist in locating a particular wizard, the text field can be used to show only the wizards that match the entered text. Click Next. 3.In the Project name field, type a name for your new project. 4.(Optional) The project that you create will map to a directory structure in the file system. The default file system location is displayed in the Location field. If you want to create the project and its contained resources in a different location, clear the Use default location checkbox and specify the new location. 5.Click Finish. The new project is listed in one of the navigation views.	
3	To create a file: 1.In one of the navigation views, right-click the project or folder where you want to create the new file. 2.From the pop-up menu, select New -> File . 3.Specify the name of the file, including the file extension (for example, newfile.java). 4.Click Finish.	
4	Type the program	
6	Debug the program	
7	Execute the Program	

C. OBE PARAMETERS

1. Laboratory Outcomes

Expt.	Lab Code #	COs / Experiment Outcome	Teach. Hours	Concept	Instr Method	Assessment Method	Blooms' Level
-	-	At the end of the experiment, the student should be able to . . .	-	-	-	-	-
1	18CSL47.1	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.	9	Object Oriented Concepts	Demonstrate	Viva & presentation	L5 Evaluate
2	18CSL47.2	Develop java programs to Analyze	06	Divide and	Demons	Viva &	L5

LABORATORY PLAN - CAY 2019-20

		and compare the performance of algorithms using language features.		conquer	trate	presentation	Evaluat e
3	18CSL47.3	Develop java programs to Demonstrate Dynamic Programming using 0/1 Knapsack,Floyd's Algorithm and Travelling Sales Person problem,.	06	Dynamic Programmin g	Demons trate	Viva & presentation	L5 Evaluat e
4	18CSL47.4	Develop java programs to Demonstrate Greedy method using 0/1 Knapsack,Dijkstra's Algorithm,Kruskal's Algorithm and prims algorithm	9	Greedy Method	Demons trate	Viva & presentation	L5 Evaluat e
5	18CSL47.5	Develop java programs to Demonstrate Backtracking using Sumof Subset and Hamiltonian cycles.	06	Backtracking	Demons trate	Viva & presentation	L5 Evaluat e
-		Total	36	-	-	-	-

Note: Identify a max of 2 Concepts per unit. Write 1 CO per concept.

2. Laboratory Applications

Expt.	Application Area	CO	Level
1	Multiprocessor computers	CO1	L5
2	Text editors,web browsers	CO1	L5
2	Image processing	CO2	L5
3	Optimisation problem	CO3	L5
4	Huffman trees	CO4	L5
5	Mind games, puzzles.	CO5	L5

Note: Write 1 or 2 applications per CO.

4. Articulation Matrix

CO – PO Mapping with mapping level for each CO-PO pair, with course average attainment.

Expt.	CO.#	Experiment Outcomes At the end of the experiment student should be able to ...	Program Outcomes															Level	
			PO1	PO2	PO3	PO4	PO5	PO6	PO7	PO8	PO9	PO10	PO11	PO12	PSO1	PSO2	PSO3		
1,2,3	18CSL47.1	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.					2								2	1	3	3	L5
4,5	18CSL47.2	Develop java programs to Analyze and compare the performance of algorithms using language features.	2	2	3		2								2	1	3	3	L5
6a,10	18CSL47.3	Develop java programs to Demonstrate Dynamic Programming using 0/1 Knapsack,Floyd's Algorithm and Travelling Sales Person problem,.	2	2	3		2								2	1	3	3	L5
6b,7,8,9,10	18CSL47.4	Develop java programs to Demonstrate Greedy method using 0/1 Knapsack,Dijkstra's Algorithm,Kruskal's Algorithm and prims algorithm	2	2	3		2								2	1	3	3	L5
11,12	18CSL47.5	Develop java programs to Demonstrate Backtracking using Sumof Subset and Hamiltonian	2	2	3		2								2	1	3	3	L5

		cycles.																			
-	18CSL47	Average attainment (1, 2, or 3)	2	2	3		2										2	1	3	3	L5
-	PO, PSO	1.Engineering Knowledge; 2.Problem Analysis; 3.Design / Development of Solutions; 4.Conduct Investigations of Complex Problems; 5.Modern Tool Usage; 6.The Engineer and Society; 7.Environment and Sustainability; 8.Ethics; 9.Individual and Teamwork; 10.Communication; 11.Project Management and Finance; 12.Life-long Learning; S1.Software Engineering; S2.Data Base Management; S3.Web Design																			

5. Curricular Gap and Experiments

Topics & contents not covered (from A.4), but essential for the course to address POs and PSOs.

Expt	Gap Topic	Actions Planned	Schedule Planned	Resources Person	PO Mapping
1					
2					
3					
4					
5					

Note: Write Gap topics from A.4 and add others also.

6. Experiments Beyond Syllabus

Topics & contents required (from A.5) not addressed, but help students for Placement, GATE, Higher Education, Entrepreneurship, etc.

Expt	Gap Topic	Actions Planned	Schedule Planned	Resources Person	PO Mapping
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

D. COURSE ASSESSMENT

1. Laboratory Coverage

Assessment of learning outcomes for Internal and end semester evaluation. Distinct assignment for each student. 1 Assignment per chapter per student. 1 seminar per test per student.

Unit	Title	Teaching Hours	No. of question in Exam							CO	Levels
			CIA-1	CIA-2	CIA-3	Asg-1	Asg-2	Asg-3	SEE		
1 a	Student Class and Object Creation using Java	2	1	-	1	-	-	-	1	CO1	L5
1b	Stack	2	1		1					CO1	
2a	Staff Database	2	1	-	1	-	-	-	1	CO1	L5
2b	Customer data	2	1	-	1	-	-	-	1	CO1	L5

LABORATORY PLAN - CAY 2019-20

3a	Compute a/b	1.5	1	-	1	-	-	-	1	CO1	L5
3b	Multithread application	1.5	1	-	1	-	-	-	1	CO1	L5
4	Quick sort	03	1	-	1	-	-	-	1	CO2	L5
5	Merge sort	03	1	-	1	-	-	-	1	CO2	L5
6a	0/1 Knapsack problem using Dynamic Programming	2	1	-	1					CO3	
6b	0/1 Knapsack problem using Greedy Method	2	1	-	1	-	-	-	1	CO4	L5
7	Shortest Path using Dijkstra's algorithm	3	-	1	1	-	-	-	1	CO4	L5
8	Minimum Cost Spanning Tree using Kruskal's algorithm	3	-	1	1	-	-	-	1	CO4	L5
9	Minimum Cost Spanning Tree using prims algorithm	3	-	1	1	-	-	-	1	CO4	L5
10a	All-Pairs Shortest Paths problem	2	-	1	1	-	-	-	1	CO3	L5
10b	Travelling Sales Person problem	2	-	1	1	-	-	-	1	CO3	L5
11	Sum of subset problem	3	-	1	1					CO5	L5
12	Hamiltonian Cycles	3	-	1	1				1	CO5	L5
-	Total	40	6	6	12	-	-	-	12	-	-

2. Continuous Internal Assessment (CIA)

Assessment of learning outcomes for Internal exams. Blooms Level in last column shall match with A.2.

Evaluation	Weightage in Marks	CO	Levels
CIA Exam – 1	40	CO1,CO2,CO3,CO4	L5
CIA Exam – 2	40	CO3,CO4,CO5	L5
CIA Exam – 3	40	CO1,CO2,CO3,CO4,CO5	L5
Assignment - 1	-	-	-
Assignment - 2	-	-	-
Assignment - 3	-	-	-
Seminar - 1	-	-	-
Seminar - 2	-	-	-
Seminar - 3	-	-	-
Other Activities – define – Slip test	-	-	-
Final CIA Marks	40	-	-

SNo	Description	Marks
1	Observation and Weekly Laboratory Activities	05 Marks
2	Record Writing	15 Marks for each Expt
3	Internal Exam Assessment	20Marks
4	Internal Assessment	40 Marks
5	SEE	60Marks
-	Total	100 Marks



E. EXPERIMENTS

Experiment 1a: to create *nStudent* objects

-	Experiment No.:	1	Marks	Date Planned	Date Conducted
1	Title	Student Class and Object Creation using Java			
2	Course Outcomes	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.			
3	Aim	Create a Java class called Student with the following details as variables within it. <ul style="list-style-type: none"> • USN • Name • Branch • Phone create <i>nStudent</i> objects and print the USN, Name, Branch and Phone of these objects with suitable headings.			
4	Material Equipment Required	/ Lab Manual			
5	Theory, Formula, Principle, Concept	Object oriented Concepts			
6	Procedure, Program, Activity, Algorithm, Pseudo Code	1. Create a student class with arguments to the constructor is USN, Name, Branch, Phone 2. Read the number of student objects to be created. 3. Read each student object details (USN, Name, Branch, Phone) 4. Display the USN, Name, Branch, and Phone number of each Student			
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph	-			
8	Observation Table, Look-up Table, Output	enter the no. of students 2 enter student details enter student name krishna enter student usn			

		<pre> 1KT17IS12 enter student branch ISE enter student ph.no 9004565467 enter student name Hema enter student usn 1KT17IS18 enter student branch CSE enter student ph.no 9884543678 USN name branch phone 1KT17IS12 krishna ISE 9004565467 1KT17IS18 Hema CSE 9884543678 </pre>
9	Sample Calculations	-
10	Graphs, Outputs	-
11	Results & Analysis	-
12	Application Areas	Computer Science
13	Remarks	-
14	Faculty Signature with Date	-

Experiment 1b : A Java program to implement the Stack using arrays. Write Push(), Pop(), and Display() methods to demonstrate its working.

-	Experiment No.:	1b	Marks	Date Planned	Date Conducted	
1	Title	Stack				
2	Course Outcomes	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.				
3	Aim	Implementation of stack operations				
4	Material Equipment Required	/Lab Manual				
5	Theory, Formula, Principle, Concept	Push Operations Pop Operations Display Operations				
6	Procedure, Program, Activity, Algorithm, Pseudo Code	Step 1: Start. Step 2: Initialize stack size MAX and top of stack -1. Step 3: Push integer element on to stack and display the contents of the stack. if stack is full give a message as 'Stack is Overflow'. Step 3: Pop element from stack along with display the stack contents. if stack is empty give a message as 'Stack is Underflow'. Step 4: Check whether the stack contents are Palindrome or not. Step 5: Stop.				
7	Block, Model, Reaction Equation, Expected Graph					
8	Observation Table, Look-up Table	press 1 to push element press 2 to pop element				

	Output	<pre> press 3 to display elements press 4 to exit Enter your choice: 1 Enter element: 10 The 10is pushed into the stack Enter your choice: 1 Enter element: 20 The 20 is pushed into the stack Enter your choice: 1 Enter element: 30 The 30is pushed into the stack Enter your choice: 1 Enter element: 40 Error !Stack Overflow Enter your choice: 3 Elements in stack 10 20 30 Enter your choice: 2 The 30 is popped out of the stack Enter your choice: 2 The 20 is popped out of the stack Enter your choice: 2 The 10 is popped out of the stack Enter your choice: 2 error stack underflow Enter your choice: 3 Stack Empty Enter your choice: 4 Program stopped </pre>
9	Sample Calculations	Pushing the elements Poping the elements Checking the stack content form Palindrome Check overflow and underflow conditions
10	Graphs, Outputs	-
11	Results & Analysis	-
12	Application Areas	Code and debug the operations of stack
13	Remarks	
14	Faculty Signature with Date	

Experiment 3a : A Java program to read two integers a and b . Compute a/b and print, when b is not zero. Raise an exception when b is equal to zero.

-	Experiment No.:	5	Marks		Date Planned		Date Conducted	
1	Title	Compute a/b .						
2	Course Outcomes	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.						
3	Aim	Compute a/b and print, when b is not zero. Raise an exception when b is equal to zero.						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Object Oriented Concepts						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	1. Read two intergers a and b 2. Compute division a/b 3. If b is not zero print the result without exception 4. If $b = 0$ print the exception by using Java maths exceptions						
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph							
8	Observation Table, Look-up Table, Output	Sample 1: Please enter first number (numerator): 10 Please enter second number (denominator): 5 Division result of $10/5 = 2.0$ Sample2: Please enter first number (numerator): 10 Please enter second number(denominator): 0 Exception Condition Program is ending						
9	Sample Calculations							
10	Graphs, Outputs							
11	Results & Analysis							
12	Application Areas							
13	Remarks							
14	Faculty Signature with Date							

Experiment 3b :Multithread application using Java

-	Experiment No.:	3b	Marks		Date Planned		Date Conducted	
1	Title	Multithread application						
2	Course Outcomes	Develop java programs to demonstrate Inheritance, Exception handling and Multithreading.						

3	Aim	To understand the concepts of multithreading by creating three threads that perform different tasks when one thread is suspended for some time duration.
4	Material Equipment Required	/Lab Manual
5	Theory, Formula, Principle, Concept	Object Oriented Concepts
6	Procedure, Program, Activity, Algorithm, Pseudo Code	1. Create a class named multithread. 2. Create three thread using thread library. 3. First thread is for generating random integer. 4. Second thread is for square of the number generated by first thread. 5. Thrid thread compute the cube of the number generated by first.
7	Block, Model, Circuit, Diagram, Reaction Equation, Expected Graph	
8	Observation Table, Look-up Table, Output	first thread generated number is77 Second thread:Square of the number is5929 third thread:Cube of the number is456533 first thread generated number is76 Second thread:Square of the number is5776 third thread:Cube of the number is438976 first thread generated number is14 Second thread:Square of the number is196 third thread:Cube of the number is2744
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 04 : Quick sort

-	Experiment No.:	4	Marks		Date Planned		Date Conducted	
1	Title	Quick sort						
2	Course Outcomes	Analyze and compare the performance of algorithms using language features.						
3	Aim	To sort 'n' randomly generated elements using Quick sort and plotting the graph of the time taken to sort n elements versus n.						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept							
6	Procedure, Program, Activity, Algorithm, Pseudo Code	<ol style="list-style-type: none"> 1. Declare time variables 2. Generate 'n' elements randomly using random number generator 3. Record start time before sorting 4. Call Quick sort function to sort n elements 5. Record the end time after sorting 6. Calculate the time required to sort n elements using Quick sort. 7. Print the sorted 'n' elements and time taken to sort. 8. Repeat the above steps for different values of n as well as to demonstrate worst, best and average case complexity. 						
7	Block, Model, Circuit, Diagram, Reaction Equation,							

	Expected Graph	
8	Observation Table, Look-up Table, Output	Enter the no. of elements or Array Size > 5000 5010 The array elements before sorting are: 2613 543 3551 3898 3914 2880 671 2303 336 1273 *****Quick Sort Algorithm ***** The array elements after sorting are: 336 543 671 1273 2303 2613 2880 3551 3898 3914..... The time taken to sort is:1ms
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 05 : Merge Sort

-	Experiment No.:	7	Marks		Date Planned		Date Conducted	
1	Title	Merge Sort						
2	Course Outcomes	Analyze and compare the performance of algorithms using language features.						
3	Aim	To sort 'n' randomly generated elements using Merge sort and plotting the graph of the time taken to sort n elements versus n.						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Divide & Conquer						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	<ol style="list-style-type: none"> 1. Declare time variables 2. Generate 'n' elements randomly using random number generator 3. Record start time before sorting 4. Call Quick sort function to sort n elements 5. Record the end time after sorting 6. Calculate the time required to sort n elements using Quick sort. 7. Print the sorted 'n' elements and time taken to sort. 8. Repeat the above steps for different values of n as well as to demonstrate worst, best and average case complexity. 						
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph							
8	Observation Table, Look-up Table, Output	Enter the no. of elements or Array Size > 5000 5010 The array elements before sorting are: 2613 543 3551 3898 3914 2880 671 2303 336 1273 *****Quick Sort Algorithm ***** The array elements after sorting are: 336 543 671 1273 2303 2613 2880 3551 3898						

		3914..... The time taken to sort is:2ms
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	Image Processing
13	Remarks	
14	Faculty Signature with Date	

Experiment 6a : 0/1 Knapsack problem using Dynamic Programming

-	Experiment No.:	8	Marks	Date Planned	Date Conducted	
1	Title	0/1 Knapsack problem using Dynamic Programming				
2	Course Outcomes	Demonstrate Dynamic Programming using 0/1 Knapsack, Floyd's Algorithm and Travelling Sales Person problem,				
3	Aim	To choose the set of items that fits in the knapsack and maximizes the profit. Given a knapsack with maximum capacity W , and a set S consisting of n items.				
4	Material Equipment Required	/ Lab Manual				
5	Theory, Formula, Principle, Concept	Dynamic Programming				
6	Procedure, Program, Activity, Algorithm, Pseudo Code	//Input: (n items, W weight of sack) Input: n, w_1, \dots, w_n and W – all integers //Output: $V(n, W)$ Steps: // Initialization of first column and first row elements • Repeat for $i = 0$ to n set $V(i, 0) = 0$ • Repeat for $j = 0$ to W Set $V(0, j) = 0$ //complete remaining entries row by row • Repeat for $i = 1$ to n repeat for $j = 1$ to W if ($w_i \leq j$) $V(i, j) = \max\{ V(i-1, j), V(i-1, j-w_i) + v_i \}$ if ($w_i > j$) $V(i, j) = V(i-1, j)$ • Print $V(n, W)$				
7	Block, Model, Reaction Equation, Expected Graph					
8	Observation Table, Look-up Table, Output	Enter the number of elements 5 Enter the profits of the element 10 15 20 25 30 Enter the weight of the elements 3 4 5 2 1 Enter the the capacity of knapsack : 7 the profit gained is:70 Items selected:2 4 5				
9	Sample Calculations					
10	Graphs, Outputs					
11	Results & Analysis					
12	Application Areas	Image Processing				

13	Remarks	
14	Faculty Signature with Date	

Experiment 6b : 0/1 Knapsack problem using Greedy method

-	Experiment No.:	9	Marks		Date Planned		Date Conducted	
1	Title	0/1 Knapsack problem using Greedy method						
2	Course Outcomes	Demonstrate Greedy method using 0/1 Knapsack, Dijkstra's Algorithm, Kruskal's Algorithm and Prim's algorithm						
3	Aim	To choose the set of items that fits in the knapsack and maximizes the profit. Given a knapsack with maximum capacity W , and a set S consisting of n items.						
4	Material Equipment Required	/ Lab Manual						
5	Theory, Formula, Principle, Concept	Greedy method						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	Assume knapsack holds weight W and items have value v_i and weight w_i <ul style="list-style-type: none"> • Rank items by value/weight ratio: v_i / w_i • Thus: $v_i / w_i \geq v_j / w_j$, for all $i \leq j$ • Consider items in order of decreasing ratio • Take as much of each item as possible based on knapsack's capacity 						
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph	-						
8	Observation Table, Look-up Table, Output	Enter no of items 4 Enter the weights of each items 5 10 15 20 Enter the profits of each items 12 13 14 15 Enter capacity of knapsack : 18 Quantity of item number: 1 added is 5 Quantity of item number: 2 added is 10 Quantity of item number: 3 added is 3 The total profit is 27.8						
9	Sample Calculations							
10	Graphs, Outputs							
11	Results & Analysis							
12	Application Areas							
13	Remarks							
14	Faculty Signature with Date							

Experiment 7 : Shortest Path using Dijkstra's algorithm

-	Experiment No.:	10	Marks		Date Planned		Date Conducted	
1	Title	Shortest Path using Dijkstra's algorithm						

2	Course Outcomes	Demonstrate Greedy method using 0/1 Knapsack,Dijkstra's Algorithm,Kruskal's Algorithm and prims algorithm
3	Aim	From a given vertex in a weighted connected graph, find shortest paths to other vertices using Dijkstra's algorithm.
4	Material Equipment Required	/Lab Manual
5	Theory, Formula, Principle, Concept	Greedy method
6	Procedure, Program, Activity, Algorithm, Pseudo Code	<pre> function Dijkstra(Graph, source): 1 create vertex set Q 2 for each vertex v in Graph: // Initialization 3 dist[v] ← INFINITY // Unknown distance from source to v 4 prev[v] ← UNDEFINED //previous node in optimal path from source 5 add v to Q // All nodes initially in Q (unvisited nodes) 6 dist[source] ← 0 // Distance from source to source 7 while Q is not empty: 8 u ← vertex in Q with min dist[u]//Node with the least distance 9 // will be selected first 10 remove u from Q 12 for each neighbor v of u: // where v is still in Q. 13 alt ← dist[u] + length(u, v) 14 if alt < dist[v]: // A shorter path to v has been found 15 dist[v] ← alt 16 prev[v] ← u 17 return dist[], prev[] </pre>
	Block, Model, Reaction Equation, Expected Graph	Circuit, Diagram,
8	Observation Table, Look-up Table, Output	<p>enter the no. of vertices 6</p> <p>enter the cost of edges enter 999 if the edges are not present or selfloop</p> <pre> 0 15 10 999 45 999 999 0 15 999 20 999 20 999 0 20 999 999 999 10 999 0 35 999 999 999 999 30 0 999 999 999 999 4 999 0 enter the source vertex 6 source destination cost 6-----1 49 6-----2 14 6-----3 29 6-----4 4 6-----5 34 6-----6 0 </pre>
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 8 :Minimum Cost Spanning Tree using Kruskal's algorithm

-	Experiment No.:	8	Marks		Date Planned		Date Conducted	
1	Title	Minimum Cost Spanning Tree using Kruskal's algorithm						
2	Course Outcomes	Demonstrate Greedy method using 0/1 Knapsack,Dijkstra's Algorithm,Kruskal's Algorithm and prims algorithm						
3	Aim	Find Minimum Cost Spanning Tree of a given connected undirected graph using Kruskal's algorithm.						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Greedy Method						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	ALGORITHM: KRUSKAL(G): 1 $A = \emptyset$ 2 foreach $v \in G.V$: 3 MAKE-SET(v) 4 foreach (u, v) in $G.E$ ordered by $\text{weight}(u, v)$, increasing: 5 if $\text{FIND-SET}(u) \neq \text{FIND-SET}(v)$: 6 $A = A \cup \{(u, v)\}$ 7 UNION(u, v) 8 return A						
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph							
8	Observation Table, Look-up Table, Output	Enter the number of nodes: 4 Enter the adjacency matrix: 999 20 10 999 20 999 999 30 10 999 999 40 999 30 40 999 Edge1: 1→3 cost:10 Edge2: 1→2 cost:20 Edge3: 2→4 cost:30 Minimun cost=60						
9	Sample Calculations							
10	Graphs, Outputs							
11	Results & Analysis							
12	Application Areas							
13	Remarks							
14	Faculty Signature with Date							

Experiment 9 :Minimum Cost Spanning Tree using Prims Algorithm

-	Experiment No.:	12	Marks		Date Planned		Date Conducted	
1	Title	Minimum Cost Spanning Tree using Prims Algorithm						
2	Course Outcomes	Demonstrate Greedy method using 0/1 Knapsack,Dijkstra's Algorithm,Kruskal's						

		Algorithm and prim's algorithm
3	Aim	Find Minimum Cost Spanning Tree of a given undirected graph using Prim's algorithm.
4	Material Equipment Required	/Lab Manual
5	Theory, Formula, Principle, Concept	Greedy method
6	Procedure, Program, Activity, Algorithm, Pseudo Code	ALGORITHM: MST-PRIM(G, w r) for each $u \in G.V$ $u.key = \infty$ $u.\pi = NIL$ $r.key = 0$ $Q = Q.V$ while $Q \neq \phi$ $u = EXTRACT-MIN(Q)$ //minimum priority queue for each $v \in G.Adj(u)$ $v \in Q$ and $w(u, v) < v.key$ $v.\pi = u$ $v.key = w(u, v)$
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph	
8	Observation Table, Look-up Table, Output	Enter the adjacency matrix: 999 20 10 999 20 999 999 30 10 999 999 40 999 30 40 999 Edge1: 1→3 cost:10 Edge2: 1→2 cost:20 Edge3: 2→4 cost:30 Minimun cost=60
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 10 a : All-Pairs Shortest Paths problem

-	Experiment No.:	13	Marks		Date Planned		Date Conducted	
1	Title	All-Pairs Shortest Paths problem						
2	Course Outcomes	Demonstrate Dynamic Programming using 0/1 Knapsack, Floyd's Algorithm and Travelling Sales Person problem,						
3	Aim	Implement All-Pairs Shortest Paths problem using Floyd's algorithm						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Greedy Method						
6	Procedure, Program, Activity, Algorithm, Pseudo	ALGORITHM: 1 let dist be a $ V \times V $ array of minimum distances initialized to ∞ (infinity) 2 for each edge (u,v)						

	Code	<pre> 3 dist[u][v] ← w(u,v) // the weight of the edge (u,v) 4 for each vertex v 5 dist[v][v] ← 0 6 for k from 1 to V 7 for i from 1 to V 8 for j from 1 to V 9 if dist[i][j] > dist[i][k] + dist[k][j] 10 dist[i][j] ← dist[i][k] + dist[k][j] 11 end i </pre>
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph	
8	Observation Table, Look-up Table, Output	Enter the no. of vertices 4 Enter the weight matrix 0 999 3 999 2 0 999 999 999 7 0 1 6 999 999 0 all pair shortest path: 0 10 3 4 2 0 5 6 7 7 0 1 6 16 9 0
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 10 b : Travelling Sales Person problem

-	Experiment No.:	14	Marks		Date Planned		Date Conducted	
1	Title	Travelling Sales Person problem						
2	Course Outcomes	Demonstrate Dynamic Programming using 0/1 Knapsack, Floyd's Algorithm and Travelling Sales Person problem,						
3	Aim	To find the shortest possible route that visits every city exactly once and returns to the starting point.						
4	Material Equipment Required	/ Lab Manual						
5	Theory, Formula, Principle, Concept	Dynamic Programming						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	Algorithm: Traveling-Salesman-Problem $C(\{1\}, 1) = 0$ for $s = 2$ to n do for all subsets $S \in \{1, 2, 3, \dots, n\}$ of size s and containing 1 $C(S, 1) = \infty$ for all $j \in S$ and $j \neq 1$ $C(S, j) = \min \{C(S - \{j\}, i) + d(i, j) \text{ for } i \in S \text{ and } i \neq j\}$ Return $\min_j C(\{1, 2, 3, \dots, n\}, j) + d(j, 1)$						
7	Block, Circuit, Model Diagram,							

	Reaction Equation, Expected Graph	
8	Observation Table, Look-up Table, Output	Enter No. of Cities: 4 Enter the Cost Matrix 0 10 15 20 5 0 9 10 6 13 0 12 8 8 9 0 The Cost Matrix is 0 10 15 20 5 0 9 10 6 13 0 12 8 8 9 0 The Optimal Tour is = 1->2->4->3->1 Minimum Cost = 35
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 11: Sum of Subset Problem

-	Experiment No.:	15	Marks		Date Planned		Date Conducted	
1	Title	Sum of Subset Problem						
2	Course Outcomes	Demonstrate Backtracking using Sumof Subset and Hamiltonian cycles.						
3	Aim	To find a subset of a given set S = {S1, S2,.....,Sn} of n positive integers whose SUM is equal to a given positive integer d .						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Backtracking						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	Algorithm: initialize a list S to contain one element 0. for each i from 1 to N do let T be a list consisting of xi + y, for all y in S let U be the union of T and S sort U make S empty let y be the smallest element of U add y to S for each element z of U in increasing order do //trim the list by eliminating numbers close to one another //and throw out elements greater than s if y + cs/N < z ≤ s, set y = z and add z to S if S contains a number between (1 - c)s and s, output yes, otherwise no						
7	Block, Circuit, Model Diagram, Reaction Equation, Expected Graph							
8	Observation Table, Look-up Table, Output	Enter the size of the set: 5 Enter the set in increasing order:						

		1 2 5 6 8 Enter the required sum : 9 the solution to the sum of subset problem is: Subset1: 1 2 6 Subset2: 1 8
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	

Experiment 12: Hamiltonian Cycles using backtracking principle

-	Experiment No.:	15	Marks		Date Planned		Date Conducted	
1	Title	Hamiltonian Cycles						
2	Course Outcomes	Demonstrate Backtracking using Sumof Subset and Hamiltonian cycles.						
3	Aim	Design and implement in Java to find all Hamiltonian Cycles in a connected undirected Graph G of n vertices using backtracking principle.						
4	Material Equipment Required	/Lab Manual						
5	Theory, Formula, Principle, Concept	Backtracking						
6	Procedure, Program, Activity, Algorithm, Pseudo Code	<p>Algorithm: <i>Input:</i> A 2D array graph[V][V] where V is the number of vertices in graph and graph[V][V] is adjacency matrix representation of the graph. A value graph[i][j] is 1 if there is a direct edge from i to j, otherwise graph[i][j] is 0. <i>Output:</i> An array path[V] that should contain the Hamiltonian Path. path[i] should represent the ith vertex in the Hamiltonian Path. The code should also return false if there is no Hamiltonian Cycle in the graph.</p>						
7	Block, Model, Reaction Equation, Expected Graph							
8	Observation Table, Look-up Table, Output	Enter No. of Vertices: 6 Enter No. of Edges: 9 Enter the Edge1: 1 2 Enter the Edge2: 1 3 Enter the Edge3: 1 4 Enter the Edge4: 2 3 Enter the Edge5: 2 6						

		<p>Enter the Edge6: 3 4</p> <p>Enter the Edge7: 3 5</p> <p>Enter the Edge8: 5 6</p> <p>Enter the Edge9: 4 5</p> <p>Hamiltonian Cycle 1-->2-->6-->5-->3-->4-->1 1-->2-->6-->5-->4-->3-->1 1-->3-->2-->6-->5-->4-->1</p>
9	Sample Calculations	
10	Graphs, Outputs	
11	Results & Analysis	
12	Application Areas	
13	Remarks	
14	Faculty Signature with Date	